



110V
50a.60HZ
3pol 4h 4pol 4h 5pol 4h

230V
50a.60HZ
3pol 6h 4pol 9h 5pol 9h


400V
50a.60HZ
3pol 9h 4pol 6h 5pol 6h

400V
50a.60HZ
3pol 7h 4pol 7h 5pol 7h

50-500V
100-300Hz
3pol 10h 4pol 10h 5pol 10h




Voltage(V): 110-130V~2P+E
Protection degree: IP44



Earth contact position		4h	
Item		SF-013-4	SF-023-4
Rated current(A)		16	32
Dimension	a	122	139
	b	59	75
	c	51	64
	Φ	6	8
Cable section (mm ²)		1-2.5	2.5-6




Voltage(V): 220-240V~2P+E
Protection degree: IP44



Earth contact position		6h	
Item		SF-013	SF-023
Rated current(A)		16	32
Dimension	a	122	139
	b	59	75
	c	51	64
	Φ	6	8
Cable section (mm ²)		1-2.5	2.5-6




Voltage(V): 380-415V~3P+E
Protection degree: IP44



Earth contact position		6h	
Item		SF-014	SF-024
Rated current(A)		16	32
Dimension	a	122	139
	b	65	75
	c	55	64
	Φ	6	8
Cable section (mm ²)		1-2.5	2.5-6




Voltage(V): 220-380V~3P+N+E
240-415V~
Protection degree: IP44



Earth contact position		6h	
Item		SF-015	SF-025
Rated current(A)		16	32
Dimension	a	130	143
	b	72	84
	c	64	70
	Φ	8	8
Cable section (mm ²)		1-2.5	2.5-6




Voltage(V): 220-240V~2P+E
Protection degree: IP67



Earth contact position		6h	
Item		SF-033	SF-043
Rated current(A)		63	125
Dimension	a	231.5	293
	b	110	125
	c	16-38	30-50
	Φ	110	125
Cable section (mm ²)		6-16	16-50




Voltage(V): 380-415V~3P+E
Protection degree: IP67




Earth contact position		6h	
Item		SF-034	SF-044
Rated current(A)		63	125
Dimension	a	231.5	293
	b	110	125
	c	16-38	30-50
	Φ	110	125
Cable section (mm ²)		6-16	16-50




Voltage(V): 220-380V~ 3P+N+E
240-415V~
Protection degree:IP67



Earth contact position	6h	
Item	SF-035	SF-045
Rated current(A)	63	125
Dimension	a	231.5
	b	110
	c	16-38
	Φ	110
Cable section (mm ²)	6-16	16-50




Voltage(V): 110-130V~2P+E
Protection degree:IP44



Earth contact position	4h	
Item	SF-013L-4	SF-023L-4
Rated current(A)	16	32
Dimension	a	141
	b	59
	c	51
	Φ	8
Cable section (mm ²)	1-2.5	2.5-6




Voltage(V):220-240V~2P+E
Protection degree:IP44



Earth contact position	6h	
Item	SF-013L	SF-023L
Rated current(A)	16	32
Dimension	a	141
	b	59
	c	51
	Φ	8
Cable section (mm ²)	1-2.5	2.5-6




Voltage(V):380-415V~3P+E
Protection degree:IP44




Earth contact position	6h	
Item	SF-014L	SF-024L
Rated current(A)	16	32
Dimension	a	141
	b	65
	c	55
	Φ	8
Cable section (mm ²)	1-2.5	2.5-6




Voltage(V): 220-380V~ 3P+N+E
240-415V~
Protection degree:IP44



Earth contact position	6h	
Item	SF-015L	SF-025L
Rated current(A)	16	32
Dimension	a	169
	b	72
	c	64
	Φ	10
Cable section (mm ²)	1-2.5	2.5-6



Voltage(V): 110-130V~2P+E
Protection degree:IP44



Earth contact position	4h	
Item	SF-113-4	SF-123-4
Rated current(A)	16	32
Dimension	a	135
	b	92
	c	71
	d	50
	e	57
	f	20
	g	32.5
	h	6.5
Cable section (mm ²)	1-2.5	2.5-6



110V
50a.60HZ
3pol 4h 4pol 4h 5pol 4h

230V
50a.60HZ
3pol 6h 4pol 9h 5pol 9h


400V
50a.60HZ
3pol 9h 4pol 6h 5pol 6h

400V
50a.60HZ
3pol 7h 4pol 7h 5pol 7h

50-500V
100-300Hz
3pol 10h 4pol 10h 5pol 10h




Voltage(V):220-240V~2P+E
Protection degree:IP44



Earth contact position		6h	
Item		SF-113	SF-123
Rated current(A)		16	32
Dimension	a	135	153
	b	92	102
	c	71	71
	d	50	65
	e	57	57
	f	20	20
	g	32.5	32.5
	h	6.5	6.5
Cable section (mm ²)		1-2.5	2.5-6




Voltage(V):380-415V~3P+E
Protection degree:IP44



Earth contact position		6h	
Item		SF-114	SF-124
Rated current(A)		16	125
Dimension	a	140	152
	b	95	104
	c	71	71
	d	56	64.5
	e	57	57
	f	20	20
	g	32.5	32.5
	h	6.5	6.5
Cable section (mm ²)		1-2.5	2.5-6




Voltage(V): 220-380V~
240-415V~ 3P+N+E
Protection degree:IP44



Earth contact position		6h	
Item		SF-115	SF-125
Rated current(A)		16	32
Dimension	a	139	153
	b	100	107
	c	71	71
	d	63	70
	e	57	57
	f	20	20
	g	32.5	32.5
	h	6.5	6.5
Cable section (mm ²)		1-2.5	2.5-6




Voltage(V):220-240V~2P+E
Protection degree:IP67



Earth contact position		6h	
Item		SF-133	SF-143
Rated current(A)		63	125
Dimension	a	134	154
	b	311	338
	c	108	122
	d	111	130
	e	20	20
	f	153	185
	g	6	6.2
	Cable section (mm ²)		6-25




Voltage(V):380-415V~3P+E
Protection degree:IP67



Earth contact position		6h	
Item		SF-134	SF-144
Rated current(A)		63	125
Dimension	a	134	154
	b	311	338
	c	108	122
	d	111	130
	e	20	20
	f	153	185
	g	6	6.2
	Cable section (mm ²)		6-25




Voltage(V): 220-380V~
240-415V~ 3P+N+E
Protection degree:IP67




Earth contact position		6h	
Item		SF-135	SF-145
Rated current(A)		63	125
Dimension	a	134	154
	b	311	338
	c	108	122
	d	111	130
	e	20	20
	f	153	185
	g	6	6.2
	Cable section (mm ²)		6-25




Voltage(V): 110-130V~2P+E
Protection degree: IP44



Earth contact position		4h	
Item		SF-113L-4	SF-123L-4
Rated current(A)		16	32
Dimension	a	168	190
	b	92	102
	c	71	71
	d	50	65
	e	57	57
	f	20	20
	g	32.5	32.5
	h	6.5	6.5
Cable section (mm ²)		1-2.5	2.5-6




Voltage(V): 220-240V~2P+E
Protection degree: IP44



Earth contact position		6h	
Item		SF-113L	SF-123L
Rated current(A)		16	32
Dimension	a	168	190
	b	92	102
	c	71	71
	d	50	65
	e	57	57
	f	20	20
	g	32.5	32.5
	h	6.5	6.5
Cable section (mm ²)		1-2.5	2.5-6




Voltage(V): 380-415V~3P+E
Protection degree: IP44




Earth contact position		6h	
Item		SF-114L	SF-124L
Rated current(A)		16	32
Dimension	a	170	190
	b	95	104
	c	71	71
	d	56	64.5
	e	57	57
	f	20	20
	g	32.5	32.5
	h	6.5	6.5
Cable section (mm ²)		1-2.5	2.5-6




Voltage(V): 220-380V~240-415V~3P+N+E
Protection degree: IP44



Earth contact position		6h	
Item		SF-115L	SF-125L
Rated current(A)		16	32
Dimension	a	166	190
	b	100	107
	c	71	71
	d	63	70.5
	e	57	57
	f	20	20
	g	32.5	32.5
	h	6.5	6.5
Cable section (mm ²)		1-2.5	2.5-6




Voltage(V): 110-130V~2P+E
Protection degree: IP44



Earth contact position		4h	
Item		SF-213-4	SF-223-4
Rated current(A)		16	32
Dimension	a	131	150
	b	68	92
	c	50	65
	Φ	6	8
	Cable section (mm ²)		1-2.5



Voltage(V): 220-240V~2P+E
Protection degree: IP44



Earth contact position		6h	
Item		SF-213	SF-223
Rated current(A)		16	32
Dimension	a	131	150
	b	68	92
	c	50	65
	Φ	6	8
	Cable section (mm ²)		1-2.5



110V
50a.60HZ
3pol 4h 4pol 4h 5pol 4h

230V
50a.60HZ
3pol 6h 4pol 9h 5pol 9h


400V
50a.60HZ
3pol 9h 4pol 6h 5pol 6h

400V
50a.60HZ
3pol 7h 4pol 7h 5pol 7h

50-500V
100-300Hz
3pol 10h 4pol 10h 5pol 10h




Voltage(V): 380-415V~3P+E
Protection degree: IP44



Earth contact position		6h	
Item		SF-214	SF-224
Rated current(A)		16	32
Dimension	a	131	150
	b	79	92
	c	56	65
	Φ	6	8
Cable section (mm ²)		1-2.5	2.5-6




Voltage(V): $\frac{220-380V}{240-415V}$ ~3P+N+E
Protection degree: IP44



Earth contact position		6h	
Item		SF-215	SF-225
Rated current(A)		16	32
Dimension	a	139	154
	b	90	100
	c	63	70.5
	Φ	8	8
Cable section (mm ²)		1-2.5	2.5-6




Voltage(V): 220-240V~2P+E
Protection degree: IP67



Earth contact position		6h	
Item		SF-233	SF-243
Rated current(A)		63	125
Dimension	a	240	303
	b	115	128
	c	16-38	30-50
	d	108	120
Cable section (mm ²)		6-16	16-50




Voltage(V): 380-415V~3P+E
Protection degree: IP67



Earth contact position		6h	
Item		SF-234	SF-244
Rated current(A)		63	125
Dimension	a	240	303
	b	115	128
	c	16-38	30-50
	d	108	120
Cable section (mm ²)		6-16	16-50




Voltage(V): $\frac{220-380V}{240-415V}$ ~3P+N+E
Protection degree: IP67



Earth contact position		6h	
Item		SF-235	SF-245
Rated current(A)		63	125
Dimension	a	240	303
	b	115	128
	c	16-38	30-50
	d	108	120
Cable section (mm ²)		6-16	16-50




Voltage(V) 110-130V~2P+E
Protection degree: IP44




Earth contact position		4h	
Item		SF-213L	SF-223L-4
Rated current(A)		16	32
Dimension	a	150	189
	b	68	92
	c	50	65
	Φ	8	10
Cable section (mm ²)		1-2.5	2.5-6




Voltage(V): 220-240V~2P+E
Protection degree: IP44



Earth contact position		6h	
Item		SF-213L	SF-223L
Rated current(A)		16	32
Dimension	a	150	189
	b	68	92
	c	50	65
	Φ	8	10
Cable section (mm ²)		1-2.5	2.5-6




Voltage(V): 380-415V~3P+E
Protection degree: IP44




Earth contact position		6h	
Item		SF-214L	SF-224L
Rated current(A)		16	32
Dimension	a	149	189
	b	79	92
	c	56	65
	Φ	8	10
Cable section (mm ²)		1-2.5	2.5-6




Voltage(V): 220-380V~3P+N+E
240-415V~3P+N+E
Protection degree: IP44



Earth contact position		6h	
Item		SF-215L	SF-225L
Rated current(A)		16	32
Dimension	a	179	193
	b	90	100
	c	63	70.5
	Φ	10	10
Cable section (mm ²)		1-2.5	2.5-6




Voltage(V): 110-130V~2P+E
Protection degree: IP44



Earth contact position		4h	
Item		SF-313-4	SF-323-4
Rated current(A)		16	32
Dimension	a	74	91
	b	70	88
	c	70	70
	d	70	70
	e	56	56
	f	56.5	56.5
	g	56.5	56.5
	h	24	29
Cable section (mm ²)		1-2.5	2.5-6




Voltage(V): 220-240V~2P+E
Protection degree: IP44



Earth contact position		6h	
Item		SF-313	SF-323
Rated current(A)		16	32
Dimension	a	74	91
	b	70	88
	c	70	70
	d	70	70
	e	56	56
	f	56.5	56.5
	g	56.5	56.5
	h	24	29
Cable section (mm ²)		1-2.5	2.5-6




Voltage(V): 380-415V~3P+E
Protection degree: IP44



Earth contact position		6h	
Item		SF-314	SF-324
Rated current(A)		16	32
Dimension	a	76	90
	b	80	87
	c	70	70
	d	70	70
	e	56	56
	f	56.5	56.5
	g	56.5	56.5
	h	25	30
Cable section (mm ²)		1-2.5	2.5-6




Voltage(V): 220-380V~
240-415V~ 3P+N+E
Protection degree:IP44



Earth contact position		6h	
Item	SF-315	SF-325	
Rated current(A)	16	32	
Dimension	a	76	93
	b	86	95
	c	70	70
	d	70	70
	e	56	56
	f	56.5	56.5
	g	56.5	56.5
	h	26	28
Cable section (mm ²)		1-2.5	2.5-6




Voltage(V): 220-240V~2P+E
Protection degree:IP67



Earth contact position		6h	
Item	SF-333	SF-343	
Rated current(A)	63	125	
Dimension	a	100	120
	b	100	120
	c	80	101
	d	80	101
	e	54.5	68
	f	88	96
	g	114	129
	h	108	122
	i	70	88
Cable section (mm ²)		6-25	25-70




Voltage(V): 380-415V~3P+E
Protection degree:IP67



Earth contact position		6h	
Item	SF-334	SF-344	
Rated current(A)	63	125	
Dimension	a	100	120
	b	100	120
	c	80	101
	d	80	101
	e	54.5	68
	f	88	96
	g	114	129
	h	108	122
	i	70	88
Cable section (mm ²)		6-25	25-70




Voltage(V): 220-380V~
240-415V~ 3P+N+E
Protection degree:IP67



Earth contact position		6h	
Item	SF-335	SF-345	
Rated current(A)	63	125	
Dimension	a	100	120
	b	100	120
	c	80	101
	d	80	101
	e	54.5	68
	f	88	96
	g	114	129
	h	108	122
	i	70	88
Cable section (mm ²)		6-25	25-70




Voltage(V): 110-130V~2P+E
Protection degree:IP44



Earth contact position		4h	
Item	SF-413-4	SF-423-4	
Rated current(A)	16	32	
Dimension	a	76	86
	b	70.5	99
	c	63	80
	d	49	62
	e	49	72
	f	49	70.5
	g	49	62
	h	10.5	13
	i	37	40
	j	70	96
Cable section (mm ²)		1-2.5	2.5-6




Voltage(V): 220-240~2P+E
Protection degree:IP44



Earth contact position		6h	
Item	SF-413	SF-423	
Rated current(A)	16	32	
Dimension	a	76	86
	b	70.5	99
	c	63	80
	d	49	62
	e	49	72
	f	49	70.5
	g	49	62
	h	10.5	13
	i	37	40
	j	70	96
Cable section (mm ²)		1-2.5	2.5-6




Voltage(V): 380-415V~3P+E
Protection degree: IP44



Earth contact position		6h	
Item		SF-414	SF-424
Rated current(A)		16	32
Dimension	a	80	100
	b	85	97
	c	75	80
	d	59	68
	e	66	80
	f	61	70.5
	g	60	59.5
	h	13	13
	i	46	55
	j	85	96
Cable section (mm ²)		1-2.5	2.5-6




Voltage(V): 220-380V~
240-415V~ 3P+N+E
Protection degree: IP44



Earth contact position		6h	
Item		SF-415	SF-425
Rated current(A)		16	32
Dimension	a	80	97
	b	86	97
	c	75	81.5
	d	64	60.5
	e	74	85
	f	61	70.5
	g	60	60.5
	h	13	13.5
	i	43	53
	j	88	96.5
Cable section (mm ²)		1-2.5	2.5-6




Voltage(V): 110-130V~2P+E
Protection degree: IP44



Earth contact position		4h	
Item		SF-513-4	SF-523-4
Rated current(A)		16	32
Dimension	a	134	148
	b	80	88
	c	71	71
	d	43.5	57.5
	e	57	57
	f	20	20
	g	32.5	32.5
	h	6.5	6.5
Cable section (mm ²)		1-2.5	2.5-6




Voltage(V): 220-240V~2P+E
Protection degree: IP44



Earth contact position		6h	
Item		SF-513	SF-523
Rated current(A)		16	32
Dimension	a	134	148
	b	80	88
	c	71	71
	d	43.5	57.5
	e	57	57
	f	20	20
	g	32.5	32.5
	h	6.5	6.5
Cable section (mm ²)		1-2.5	2.5-6




Voltage(V): 380-415V~3P+E
Protection degree: IP44




Earth contact position		6h	
Item		SF-514	SF-524
Rated current(A)		16	32
Dimension	a	139	148.5
	b	80	88
	c	71	71
	d	50	57
	e	57	57
	f	20	20
	g	32.5	32.5
	h	6.5	6.5
Cable section (mm ²)		1-2.5	2.5-6




Voltage(V): 220-380V~
240-415V~ 3P+N+E
Protection degree: IP44



Earth contact position		6h	
Item		SF-515	SF-525
Rated current(A)		16	32
Dimension	a	138.5	150.5
	b	83	90
	c	71	71
	d	55	64
	e	57	57
	f	20	20
	g	32.5	33.5
	h	6.5	6.5
Cable section (mm ²)		1-2.5	2.5-6




Voltage(V): 110-130V~2P+E
Protection degree: IP44



Earth contact position		4h	
Item		SF-613-4	SF-623-4
Rated current(A)		16	32
Dimension	a	56	56
	b	56	56
	c	70.5	70.5
	d	70.5	70.5
	e	45	57
	f	23	28
	g	42	51
Cable section (mm ²)		1-2.5	2.5-6




Voltage(V): 220-240V~2P+E
Protection degree: IP44



Earth contact position		6h	
Item		SF-613	SF-623
Rated current(A)		16	32
Dimension	a	56	56
	b	56	56
	c	70.5	70.5
	d	70.5	70.5
	e	45	57
	f	23	28
	g	42	51
Cable section (mm ²)		1-2.5	2.5-6




Voltage(V): 380-415V~3P+E
Protection degree: IP44



Earth contact position		6h	
Item		SF-614	SF-624
Rated current(A)		16	32
Dimension	a	56	56
	b	56	56
	c	70.5	70.5
	d	70.5	70.5
	e	42	57
	f	23	28
	g	42	51
Cable section (mm ²)		1-2.5	2.5-6




Voltage(V): 220-380V~
240-415V~ 3P+N+E
Protection degree: IP44



Earth contact position		6h	
Item		SF-615	SF-625
Rated current(A)		16	32
Dimension	a	56	56
	b	56	56
	c	70.5	70.5
	d	70.5	70.5
	e	57	63
	f	23	28
	g	42	51
Cable section (mm ²)		1-2.5	2.5-6




Voltage(V): 220-240V~2P+E
Protection degree: IP44



Item		SF-112
Dimension	a	54
	b	73
	c	64
Cable section (mm ²)		1-2.5



Voltage(V): 220-240V~2P+E
Protection degree: IP44



Item		SF-312
Dimension	a	50.6
	b	65
	c	41
	d	26
	e	38.5
	f	38.5
	g	5
Cable section (mm ²)		1-2.5



Item	SF-1012-4
Input	1 Plug 16A 110V 2P+E
Output	2 Connector 16A 110V 2P+E
Protection degree	IP44
Color	Yellow



Item	SFN-1013-4
Input	1 Plug 16A 110V 2P+E
Output	3 Connector 16A 110V 2P+E
Protection degree	IP44
Color	Yellow



Item	SF-1012
Input	1 Plug 16A 220V 2P+E
Output	2 Connector 16A 220V 2P+E
Protection degree	IP44
Color	Blue



Item	SFN-1013
Input	1 Plug 16A 220V 2P+E
Output	3 Connector 16A 220V 2P+E
Protection degree	IP44
Color	Blue



Item	SF-1012/4
Input	1 Plug 16A 380V 3P+E
Output	2 Connector 16A 380V 3P+E
Protection degree	IP44
Color	Red



Item	SFN-1014/214
Input	1 Plug 16A 380V 3P+E
Output	3 Connector 16A 380V 3P+E
Protection degree	IP44
Color	Red



Item	SF-1013-4
Input	1 Plug 16A 110V 2P+E
Output	3 Connector 16A 110V 2P+E
Protection degree	IP44
Color	Yellow



Item	SFN-10132-4
Input	1 Plug 16A 110V 2P+E
Output	3 Connector 16A 110V 2P+E
Protection degree	IP67
Color	Yellow



Item	SF-1013
Input	1 Plug 16A 220V 2P+E
Output	3 Connector 16A 220V 2P+E
Protection degree	IP44
Color	Blue



Item	SFN-10132
Input	1 Plug 16A 220V 2P+E
Output	3 Connector 16A 220V 2P+E
Protection degree	IP67
Color	Blue



Code	SF-1014/214
Input	1 Plug 16A 380V 3P+E
Output	3 Connector 16A 380V 3P+E
Protection degree	IP44
Color	Red



Item	SFN-10142/2142
Input	1 Plug 16A 380V 3P+E
Output	3 Connector 16A 380V 3P+E
Protection degree	IP67
Color	Red