





Voltage(V): 110-130V~2P+E
Protection degree: IP44



| Earth contact position | | 4h | |
|----------------------------------|----|-----------|-----------|
| Item | | SFN-013-4 | SFN-023-4 |
| Rated current(A) | | 16 | 32 |
| Dimension | a | 118 | 146 |
| | b | 82 | 100 |
| | c | 47 | 63 |
| | d | 6-15 | 10-20 |
| | sw | 38 | 50 |
| Cable section (mm ²) | | 1-2.5 | 2.5-6 |




Voltage(V): 220-240V~2P+E
Protection degree: IP44



| Earth contact position | | 6h | |
|----------------------------------|----|---------|---------|
| Item | | SFN-013 | SFN-023 |
| Rated current(A) | | 16 | 32 |
| Dimension | a | 118 | 146 |
| | b | 82 | 100 |
| | c | 47 | 63 |
| | d | 6-15 | 10-20 |
| | sw | 38 | 50 |
| Cable section (mm ²) | | 1-2.5 | 2.5-6 |




Voltage(V): 380-415V~3P+E
Protection degree: IP44




| Earth contact position | | 6h | |
|----------------------------------|----|---------|---------|
| Item | | SFN-014 | SFN-024 |
| Rated current(A) | | 16 | 32 |
| Dimension | a | 124 | 146 |
| | b | 88 | 100 |
| | c | 53 | 63 |
| | d | 6-15 | 10-20 |
| | sw | 38 | 50 |
| Cable section (mm ²) | | 1-2.5 | 2.5-6 |




Voltage(V): 220-380V~
240-415V~ 3P+N+E
Protection degree: IP44



| Earth contact position | | 6h | |
|----------------------------------|----|---------|---------|
| Item | | SFN-015 | SFN-025 |
| Rated current(A) | | 16 | 32 |
| Dimension | a | 131 | 152 |
| | b | 95 | 106 |
| | c | 61 | 70 |
| | d | 8-16 | 10-20 |
| | sw | 42 | 50 |
| Cable section (mm ²) | | 1-2.5 | 2.5-6 |




Voltage(V): 110-130V~2P+E
Protection degree: IP67




| Earth contact position | | 4h | |
|----------------------------------|----|------------|------------|
| Item | | SFN-0132-4 | SFN-0232-4 |
| Rated current(A) | | 16 | 32 |
| Dimension | a | 118 | 146 |
| | b | 82 | 100 |
| | c | 47 | 63 |
| | d | 6-15 | 10-20 |
| | sw | 38 | 50 |
| Cable section (mm ²) | | 1-2.5 | 2.5-6 |




Voltage(V): 110-130V~2P+E
Protection degree: IP67



| Earth contact position | | 6h | |
|----------------------------------|----|----------|----------|
| Item | | SFN-0132 | SFN-0232 |
| Rated current(A) | | 16 | 32 |
| Dimension | a | 118 | 146 |
| | b | 82 | 100 |
| | d | 6-15 | 10-20 |
| | sw | 38 | 50 |
| Cable section (mm ²) | | 1-2.5 | 2.5-6 |




Voltage(V): 380-415V~3P+E
Protection degree: IP67



| Earth contact position | | 6h | |
|----------------------------------|----|----------|----------|
| Item | | SFN-0142 | SFN-0242 |
| Rated current(A) | | 16 | 32 |
| Dimension | a | 124 | 146 |
| | b | 79 | 93 |
| | d | 6-15 | 10-20 |
| | sw | 38 | 50 |
| Cable section (mm ²) | | 1-2.5 | 2.5-6 |




Voltage(V): 220-380V~ 3P+N+E
240-415V~
Protection degree: IP67



| Earth contact position | | 6h | |
|----------------------------------|----|----------|----------|
| Item | | SFN-0152 | SFN-0252 |
| Rated current(A) | | 16 | 32 |
| Dimension | a | 131 | 152 |
| | b | 87 | 100 |
| | d | 8-16 | 10-20 |
| | sw | 42 | 50 |
| Cable section (mm ²) | | 1-2.5 | 2.5-6 |




Voltage(V): 220-250V~2P+E
Protection degree: IP67



| Earth contact position | | 6h | |
|----------------------------------|---|----------|----------|
| Item | | SFN-0332 | SFN-0432 |
| Rated current(A) | | 63 | 125 |
| Dimension | a | 240 | 295 |
| | b | 115 | 126 |
| | c | 30 | 44.5 |
| Cable section (mm ²) | | 6-16 | 16-50 |




Voltage(V): 380-415V~3P+E
Protection degree: IP67



| Earth contact position | | 6h | |
|----------------------------------|---|----------|----------|
| Item | | SFN-0342 | SFN-0442 |
| Rated current(A) | | 63 | 125 |
| Dimension | a | 240 | 295 |
| | b | 115 | 126 |
| | c | 30 | 44.5 |
| Cable section (mm ²) | | 6-16 | 16-50 |




Voltage(V): 220-380V~ 3P+N+E
240-415V~
Protection degree: IP67



| Earth contact position | | 6h | |
|----------------------------------|---|----------|----------|
| Item | | SFN-0352 | SFN-0452 |
| Rated current(A) | | 63 | 125 |
| Dimension | a | 240 | 295 |
| | b | 115 | 126 |
| | c | 30 | 44.5 |
| Cable section (mm ²) | | 6-16 | 16-50 |



Voltage(V): 110-130V~2P+E
Protection degree: IP44



| Earth contact position | | 6h | |
|----------------------------------|---|-----------|-----------|
| Item | | SFN-113-4 | SFN-123-4 |
| Rated current(A) | | 16 | 32 |
| Dimension | a | 137 | 153 |
| | b | 87 | 101 |
| Cable section (mm ²) | | 1-2.5 | 2.5-6 |



110V
50a.60HZ
3pol 4h 4h 5pol 4h

230V
50a.60HZ
3pol 6h 4pol 9h 5pol 9h


400V
50a.60HZ
3pol 9h 4pol 6h 5pol 6h

400V
50a.60HZ
3pol 7h 4pol 7h 5pol 7h

50-500V
100-300Hz
3pol 10h 4pol 10h 5pol 10h




Voltage(V):220-240V~2P+E
Protection degree:IP44



| Earth contact position | | 6h | |
|----------------------------------|---|---------|---------|
| Item | | SFN-113 | SFN-123 |
| Rated current(A) | | 16 | 32 |
| Dimension | a | 137 | 153 |
| | b | 87 | 101 |
| Cable section (mm ²) | | 1-2.5 | 2.5-6 |




Voltage(V):380-415V~3P+E
Protection degree:IP44



| Earth contact position | | 6h | |
|----------------------------------|---|---------|---------|
| Item | | SFN-114 | SFN-124 |
| Rated current(A) | | 16 | 32 |
| Dimension | a | 139 | 153 |
| | b | 95 | 101 |
| Cable section (mm ²) | | 1-2.5 | 2.5-6 |




Voltage(V): 220-380V~ 3P+N+E
Protection degree:IP44



| Earth contact position | | 6h | |
|----------------------------------|---|---------|---------|
| Item | | SFN-115 | SFN-125 |
| Rated current(A) | | 16 | 32 |
| Dimension | a | 138 | 154 |
| | b | 99 | 104 |
| Cable section (mm ²) | | 1-2.5 | 2.5-6 |




Voltage(V):110-130V~2P+E
Protection degree:IP67



| Earth contact position | | 4h | |
|----------------------------------|---|------------|------------|
| Item | | SFN-1132-4 | SFN-1232-4 |
| Rated current(A) | | 16 | 32 |
| Dimension | a | 151 | 165 |
| | b | 96 | 107 |
| Cable section (mm ²) | | 1-2.5 | 2.5-6 |




Voltage(V):220-240V~2P+E
Protection degree:IP67



| Earth contact position | | 6h | |
|----------------------------------|---|----------|----------|
| Item | | SFN-1132 | SFN-1232 |
| Rated current(A) | | 16 | 32 |
| Dimension | a | 115 | 165 |
| | b | 96 | 107 |
| Cable section (mm ²) | | 1-2.5 | 2.5-6 |



Voltage(V):380-415V~3P+E
Protection degree:IP67




| Earth contact position | | 6h | |
|----------------------------------|---|----------|----------|
| Item | | SFN-1142 | SFN-1242 |
| Rated current(A) | | 16 | 32 |
| Dimension | a | 155 | 165 |
| | b | 98 | 107 |
| Cable section (mm ²) | | 1-2.5 | 2.5-6 |






Voltage(V): 220-380V~
240-415V~ 3P+N+E
Protection degree: IP67



| | | |
|----------------------------------|----------|----------|
| Earth contact position | 6h | |
| Item | SFN-1152 | SFN-1252 |
| Rated current(A) | 16 | 32 |
| Dimension | a | 153 |
| | b | 103 |
| Cable section (mm ²) | 1-2.5 | 2.5-6 |




Voltage(V): 220-250V~2P+E
Protection degree: IP67



| | | |
|----------------------------------|----------|----------|
| Earth contact position | 6h | |
| Item | SFN-1332 | SFN-1432 |
| Rated current(A) | 63 | 125 |
| Dimension | a | 171 |
| | b | 170 |
| | c | 250 |
| | d | 118 |
| | e | 137 |
| | f | 104 |
| Cable section (mm ²) | 6-16 | 16-50 |




Voltage(V): 380-415V~3P+E
Protection degree: IP67



| | | |
|----------------------------------|----------|----------|
| Earth contact position | 6h | |
| Item | SFN-1342 | SFN-1442 |
| Rated current(A) | 63 | 125 |
| Dimension | a | 171 |
| | b | 170 |
| | c | 250 |
| | d | 118 |
| | e | 137 |
| | f | 104 |
| Cable section (mm ²) | 6-16 | 16-50 |




Voltage(V): 220-380V~
240-415V~ 3P+N+E
Protection degree: IP67



| | | |
|----------------------------------|----------|----------|
| Earth contact position | 6h | |
| Item | SFN-1352 | SFN-1452 |
| Rated current(A) | 63 | 125 |
| Dimension | a | 171 |
| | b | 170 |
| | c | 250 |
| | d | 118 |
| | e | 137 |
| | f | 104 |
| Cable section (mm ²) | 6-16 | 16-50 |





Voltage(V): 110-130V~2P+E
Protection degree: IP44



| | | |
|----------------------------------|-----------|-----------|
| Earth contact position | 4h | |
| Item | SFN-213-4 | SFN-223-4 |
| Rated current(A) | 16 | 32 |
| Dimension | a | 129 |
| | b | 76 |
| | c | 6-15 |
| | sw | 38 |
| Cable section (mm ²) | 1-2.5 | 2.5-6 |




Voltage(V): 220-240V~2P+E
Protection degree: IP44



| | | |
|----------------------------------|---------|---------|
| Earth contact position | 6h | |
| Item | SFN-213 | SFN-223 |
| Rated current(A) | 16 | 32 |
| Dimension | a | 129 |
| | b | 76 |
| | c | 6-15 |
| | sw | 38 |
| Cable section (mm ²) | 1-2.5 | 2.5-6 |




Voltage(V): 380-415V~3P+E
Protection degree: IP44



| Earth contact position | | 6h | |
|----------------------------------|----|---------|---------|
| Item | | SFN-214 | SFN-224 |
| Rated current(A) | | 16 | 32 |
| Dimension | a | 135 | 159 |
| | b | 80 | 92 |
| | c | 6-15 | 10-20 |
| | sw | 38 | 50 |
| Cable section (mm ²) | | 1-2.5 | 2.5-6 |




Voltage(V): 220-380V~
240-415V~ 3P+N+E
Protection degree: IP44



| Earth contact position | | 6h | |
|----------------------------------|----|---------|---------|
| Item | | SFN-215 | SFN-225 |
| Rated current(A) | | 16 | 32 |
| Dimension | a | 142 | 165 |
| | b | 89 | 98 |
| | c | 8-16 | 10-20 |
| | sw | 42 | 50 |
| Cable section (mm ²) | | 1-2.5 | 2.5-6 |




Voltage(V): 110-130V~2P+E
Protection degree: IP67



| Earth contact position | | 4h | |
|----------------------------------|----|------------|------------|
| Item | | SFN-2132-4 | SFN-2232-4 |
| Rated current(A) | | 16 | 32 |
| Dimension | a | 133 | 162 |
| | b | 78 | 96 |
| | c | 6-15 | 10-20 |
| | sw | 38 | 50 |
| Cable section (mm ²) | | 1-2.5 | 2.5-6 |




Voltage(V): 220-240V~2P+E
Protection degree: IP67



| Earth contact position | | 6h | |
|----------------------------------|----|----------|----------|
| Item | | SFN-2132 | SFN-2232 |
| Rated current(A) | | 16 | 32 |
| Dimension | a | 133 | 162 |
| | b | 78 | 96 |
| | c | 6-15 | 10-20 |
| | sw | 38 | 50 |
| Cable section (mm ²) | | 1-2.5 | 2.5-6 |




Voltage(V): 380-415V~3P+E
Protection degree: IP67



| Earth contact position | | 6h | |
|----------------------------------|----|----------|----------|
| Item | | SFN-2142 | SFN-2242 |
| Rated current(A) | | 16 | 32 |
| Dimension | a | 139 | 162 |
| | b | 84 | 96 |
| | c | 6-15 | 10-20 |
| | sw | 38 | 50 |
| Cable section (mm ²) | | 1-2.5 | 2.5-6 |




Voltage(V): 220-380V~
240-415V~ 3P+N+E
Protection degree: IP67



| Earth contact position | | 6h | |
|----------------------------------|----|----------|----------|
| Item | | SFN-2152 | SFN-2252 |
| Rated current(A) | | 16 | 32 |
| Dimension | a | 145 | 168 |
| | b | 92 | 102 |
| | c | 8-16 | 12-22 |
| | sw | 42 | 50 |
| Cable section (mm ²) | | 1-2.5 | 2.5-6 |




Voltage(V):220-250V~2P+E
Protection degree:IP67



| Earth contact position | | 6h | |
|----------------------------------|---|----------|----------|
| Item | | SFN-2332 | SFN-2432 |
| Rated current(A) | | 63 | 125 |
| Dimension | a | 261 | 305 |
| | b | 114 | 115 |
| | c | 30 | 44.5 |
| | d | 112 | 130 |
| Cable section (mm ²) | | 6-16 | 16-50 |




Voltage(V):380-415V~3P+E
Protection degree:IP67



| Earth contact position | | 6h | |
|----------------------------------|---|----------|----------|
| Item | | SFN-2342 | SFN-2442 |
| Rated current(A) | | 63 | 125 |
| Dimension | a | 261 | 305 |
| | b | 114 | 115 |
| | c | 30 | 44.5 |
| | d | 112 | 130 |
| Cable section (mm ²) | | 6-16 | 16-50 |




Voltage(V): 220-380V~ 3P+N+E
240-415V~
Protection degree:IP67



| Earth contact position | | 6h | |
|----------------------------------|---|----------|----------|
| Item | | SFN-2352 | SFN-2452 |
| Rated current(A) | | 63 | 125 |
| Dimension | a | 261 | 305 |
| | b | 114 | 115 |
| | c | 30 | 44.5 |
| | d | 112 | 130 |
| Cable section (mm ²) | | 6-16 | 16-50 |




Voltage(V):110-130V~2P+E
Protection degree:IP44



| Earth contact position | | 4h | | |
|------------------------|----------------------------------|-----------|-----------|-------|
| Item | | SFN-313-4 | SFN-323-4 | |
| Rated current(A) | | 16 | 32 | |
| Dimension | a x b | 76 | 76 | |
| | c x d | 61 | 61 | |
| | e | 16 | 20 | |
| | f | 60 | 70 | |
| | g | 5.5 | 5.5 | |
| | h | 46 | 61 | |
| | i | 85 | 95 | |
| | Cable section (mm ²) | | 1-2.5 | 2.5-6 |




Voltage(V):220-240V~2P+E
Protection degree:IP44



| Earth contact position | | 6h | | |
|------------------------|----------------------------------|---------|---------|-------|
| Item | | SFN-313 | SFN-323 | |
| Rated current(A) | | 16 | 32 | |
| Dimension | a x b | 76 | 76 | |
| | c x d | 61 | 61 | |
| | e | 16 | 20 | |
| | f | 60 | 70 | |
| | g | 5.5 | 5.5 | |
| | h | 46 | 61 | |
| | i | 85 | 95 | |
| | Cable section (mm ²) | | 1-2.5 | 2.5-6 |




Voltage(V):380-415V~3P+E
Protection degree:IP44



| Earth contact position | | 6h | | |
|------------------------|----------------------------------|---------|---------|-------|
| Item | | SFN-314 | SFN-324 | |
| Rated current(A) | | 16 | 32 | |
| Dimension | a x b | 76 | 76 | |
| | c x d | 61 | 61 | |
| | e | 17 | 20 | |
| | f | 60 | 70 | |
| | g | 5.5 | 5.5 | |
| | h | 53 | 61 | |
| | i | 88 | 95 | |
| | Cable section (mm ²) | | 1-2.5 | 2.5-6 |




Voltage(V): 220-380V~
240-415V~ 3P+N+E
Protection degree:IP44



| Earth contact position | | 6h | | |
|------------------------|----------------------------------|---------|---------|-------|
| Item | | SFN-315 | SFN-325 | |
| Rated current(A) | | 16 | 32 | |
| Dimension | a x b | 76 | 76 | |
| | c x d | 61 | 61 | |
| | e | 18 | 22 | |
| | f | 58 | 71 | |
| | g | 5.5 | 5.5 | |
| | h | 60 | 62 | |
| | i | 91 | 98 | |
| | Cable section (mm ²) | | 1-2.5 | 2.5-6 |




Voltage(V): 110-130V~2P+E
Protection degree:IP67



| Earth contact position | | 4h | | |
|------------------------|----------------------------------|------------|------------|-------|
| Item | | SFN-3132-4 | SFN-3232-4 | |
| Rated current(A) | | 16 | 32 | |
| Dimension | a x b | 76 | 76 | |
| | c x d | 61 | 61 | |
| | e | 16 | 20 | |
| | f | 61 | 74 | |
| | g | 5.5 | 5.5 | |
| | h | 46 | 60 | |
| | i | 80 | 98 | |
| | Cable section (mm ²) | | 1-2.5 | 2.5-6 |




Voltage(V): 220-240V~2P+E
Protection degree:IP67



| Earth contact position | | 6h | | |
|------------------------|----------------------------------|----------|----------|-------|
| Item | | SFN-3132 | SFN-3232 | |
| Rated current(A) | | 16 | 32 | |
| Dimension | a x b | 76 | 76 | |
| | c x d | 61 | 61 | |
| | e | 17 | 20 | |
| | f | 61 | 74 | |
| | g | 5.5 | 5.5 | |
| | h | 46 | 60 | |
| | i | 80 | 98 | |
| | Cable section (mm ²) | | 1-2.5 | 2.5-6 |




Voltage(V): 380-415V~3P+E
Protection degree:IP67



| Earth contact position | | 6h | | |
|------------------------|----------------------------------|----------|----------|-------|
| Item | | SFN-3142 | SFN-3242 | |
| Rated current(A) | | 16 | 32 | |
| Dimension | a x b | 76 | 76 | |
| | c x d | 61 | 61 | |
| | e | 17 | 20 | |
| | f | 61 | 74 | |
| | g | 5.5 | 5.5 | |
| | h | 53 | 60 | |
| | i | 84 | 98 | |
| | Cable section (mm ²) | | 1-2.5 | 2.5-6 |




Voltage(V): 220-380V~
240-415V~ 3P+N+E
Protection degree:IP67



| Earth contact position | | 6h | | |
|------------------------|----------------------------------|----------|----------|-------|
| Item | | SFN-3152 | SFN-3252 | |
| Rated current(A) | | 16 | 32 | |
| Dimension | a x b | 76 | 76 | |
| | c x d | 61 | 61 | |
| | e | 17 | 22 | |
| | f | 62 | 73 | |
| | g | 5.5 | 5.5 | |
| | h | 60 | 60 | |
| | i | 91 | 102 | |
| | Cable section (mm ²) | | 1-2.5 | 2.5-6 |




Voltage(V): 220-250V~2P+E
Protection degree:IP67



| Earth contact position | | 6h | |
|----------------------------------|---|----------|----------|
| Item | | SFN-3332 | SFN-3432 |
| Rated current(A) | | 63 | 125 |
| Dimension | a | 100 | 120 |
| | b | 100 | 120 |
| | c | 80 | 100 |
| | d | 80 | 100 |
| | e | 39 | 45 |
| | f | 94.5 | 104 |
| | g | 114 | 127 |
| | h | 80 | 90 |
| Cable section (mm ²) | | 6-16 | 16-50 |




Voltage(V): 380-415V~3P+E
Protection degree: IP67



| Earth contact position | | 6h | |
|----------------------------------|---|----------|----------|
| Item | | SFN-3342 | SFN-3442 |
| Rated current(A) | | 63 | 125 |
| Dimension | a | 100 | 120 |
| | b | 100 | 120 |
| | c | 80 | 100 |
| | d | 80 | 100 |
| | e | 39 | 45 |
| | f | 94.5 | 104 |
| | g | 114 | 127 |
| | h | 80 | 90 |
| Cable section (mm ²) | | 6-16 | 16-50 |




Voltage(V): 220-380V~
240-415V~ 3P+N+E
Protection degree: IP67



| Earth contact position | | 6h | |
|----------------------------------|---|----------|----------|
| Item | | SFN-3352 | SFN-3452 |
| Rated current(A) | | 63 | 125 |
| Dimension | a | 100 | 120 |
| | b | 100 | 120 |
| | c | 80 | 100 |
| | d | 80 | 100 |
| | e | 39 | 45 |
| | f | 94.5 | 104 |
| | g | 114 | 127 |
| | h | 80 | 90 |
| Cable section (mm ²) | | 6-16 | 16-50 |




Voltage(V): 110-130V~2P+E
Protection degree: IP44



| Earth contact position | | 4h | |
|------------------------|----------------------------------|-----------|-----------|
| Item | | SFN-413-4 | SFN-423-2 |
| Rated current(A) | | 16 | 32 |
| Dimension | a | 93 | 93 |
| | b | 101 | 101 |
| | c | 78 | 78 |
| | d | 86 | 86 |
| | e | 34 | 41 |
| | f | 49 | 59 |
| | g | 70 | 72 |
| | h | 77 | 83 |
| | i | 5.5 | 5.5 |
| | Cable section (mm ²) | | 1-2.5 |




Voltage(V): 220-240V~2P+E
Protection degree: IP44



| Earth contact position | | 6h | |
|------------------------|----------------------------------|---------|---------|
| Item | | SFN-413 | SFN-423 |
| Rated current(A) | | 16 | 32 |
| Dimension | a | 93 | 93 |
| | b | 101 | 101 |
| | c | 78 | 78 |
| | d | 86 | 86 |
| | e | 34 | 41 |
| | f | 49 | 59 |
| | g | 70 | 72 |
| | h | 77 | 83 |
| | i | 5.5 | 5.5 |
| | Cable section (mm ²) | | 1-2.5 |




Voltage(V): 380-415V~3P+E
Protection degree: IP44



| Earth contact position | | 6h | |
|------------------------|----------------------------------|---------|---------|
| Item | | SFN-414 | SFN-424 |
| Rated current(A) | | 16 | 32 |
| Dimension | a | 93 | 93 |
| | b | 101 | 101 |
| | c | 78 | 78 |
| | d | 86 | 86 |
| | e | 36 | 41 |
| | f | 48 | 59 |
| | g | 70 | 72 |
| | h | 77 | 83 |
| | i | 5.5 | 5.5 |
| | Cable section (mm ²) | | 6-16 |




Voltage(V): 220-380V~
240-415V~ 3P+N+E
Protection degree: IP44



| Earth contact position | | 6h | |
|------------------------|----------------------------------|---------|---------|
| Item | | SFN-415 | SFN-425 |
| Rated current(A) | | 16 | 32 |
| Dimension | a | 93 | 93 |
| | b | 101 | 101 |
| | c | 78 | 78 |
| | d | 86 | 86 |
| | e | 36 | 43 |
| | f | 47 | 59 |
| | g | 70 | 78 |
| | h | 77 | 88 |
| | i | 5.5 | 5.5 |
| | Cable section (mm ²) | | 1-2.5 |




Voltage(V): 110-130V~2P+E
Protection degree: IP67



| Earth contact position | 4h | |
|----------------------------------|------------|------------|
| Item | SFN-4132-4 | SFN-4232-4 |
| Rated current(A) | 16 | 32 |
| Dimension | | |
| a | 93 | 93 |
| b | 101 | 101 |
| c | 78 | 78 |
| d | 86 | 86 |
| e | 33 | 40 |
| f | 52 | 63 |
| g | 70 | 72 |
| h | 77 | 83 |
| i | 5.5 | 5.5 |
| Cable section (mm ²) | 1-2.5 | 2.5-6 |




Voltage(V): 220-240V~2P+E
Protection degree: IP67



| Earth contact position | 6h | |
|----------------------------------|----------|----------|
| Item | SFN-4132 | SFN-4232 |
| Rated current(A) | 16 | 32 |
| Dimension | | |
| a | 93 | 93 |
| b | 101 | 101 |
| c | 78 | 78 |
| d | 86 | 86 |
| e | 33 | 40 |
| f | 52 | 63 |
| g | 70 | 72 |
| h | 77 | 83 |
| i | 5.5 | 5.5 |
| Cable section (mm ²) | 1-2.5 | 2.5-6 |




Voltage(V): 380-415V~3P+E
Protection degree: IP67



| Earth contact position | 6h | |
|----------------------------------|----------|----------|
| Item | SFN-4142 | SFN-4242 |
| Rated current(A) | 16 | 32 |
| Dimension | | |
| a | 93 | 93 |
| b | 101 | 101 |
| c | 78 | 78 |
| d | 86 | 86 |
| e | 33 | 40 |
| f | 52 | 63 |
| g | 70 | 72 |
| h | 77 | 83 |
| i | 5.5 | 5.5 |
| Cable section (mm ²) | 1-2.5 | 2.5-6 |




Voltage(V): 220-380V~3P+N+E
240-415V~3P+N+E
Protection degree: IP67



| Earth contact position | 6h | |
|----------------------------------|----------|----------|
| Item | SFN-4152 | SFN-4252 |
| Rated current(A) | 16 | 32 |
| Dimension | | |
| a | 93 | 93 |
| b | 101 | 101 |
| c | 78 | 78 |
| d | 86 | 86 |
| e | 36 | 41 |
| f | 52 | 63 |
| g | 70 | 78 |
| h | 78 | 83 |
| i | 5.5 | 5.5 |
| Cable section (mm ²) | 1-2.5 | 2.5-6 |




Voltage(V): 220-240V~2P+E
Protection degree: IP67



| Earth contact position | 6h | |
|----------------------------------|----------|----------|
| Item | SFN-4332 | SFN-4432 |
| Rated current(A) | 63 | 125 |
| Dimension | | |
| a | 83 | 80 |
| b | 89 | 106 |
| c | 101 | 120 |
| d | 81 | 92 |
| e | 80.5 | 99 |
| f | 92.2 | 105 |
| g | 113 | 130 |
| Cable section (mm ²) | 6-25 | 16-50 |




Voltage(V): 380-415V~3P+E
Protection degree: IP67



| Earth contact position | 6h | |
|----------------------------------|----------|----------|
| Item | SFN-4342 | SFN-4442 |
| Rated current(A) | 63 | 125 |
| Dimension | | |
| a | 83 | 80 |
| b | 89 | 106 |
| c | 101 | 120 |
| d | 81 | 92 |
| e | 80.5 | 99 |
| f | 92.2 | 105 |
| g | 113 | 130 |
| Cable section (mm ²) | 6-25 | 16-50 |




Voltage(V): 220-380V~ 3P+N+E
240-415V~
Protection degree:IP67



| Earth contact position | | 6h | |
|----------------------------------|---|----------|----------|
| Item | | SFN-4352 | SFN-4452 |
| Rated current(A) | | 63 | 125 |
| Dimension | a | 83 | 80 |
| | b | 89 | 106 |
| | c | 101 | 120 |
| | d | 81 | 92 |
| | e | 80.5 | 99 |
| | f | 92.2 | 105 |
| | g | 113 | 130 |
| Cable section (mm ²) | | 6-25 | 16-50 |




Voltage(V): 110-130V~2P+E
Protection degree:IP44



| Earth contact position | | 4h | |
|----------------------------------|---|-----------|-----------|
| Item | | SFN-513-4 | SFN-523-4 |
| Rated current(A) | | 16 | 32 |
| Dimension | a | 121 | 131 |
| | b | 76 | 83 |
| Cable section (mm ²) | | 1-2.5 | 2.5-6 |




Voltage(V): 220-240V~2P+E
Protection degree:IP44



| Earth contact position | | 6h | |
|----------------------------------|---|---------|---------|
| Item | | SFN-513 | SFN-523 |
| Rated current(A) | | 16 | 32 |
| Dimension | a | 121 | 131 |
| | b | 76 | 83 |
| Cable section (mm ²) | | 1-2.5 | 2.5-6 |




Voltage(V): 380-415V~3P+E
Protection degree:IP44



| Earth contact position | | 6h | |
|----------------------------------|---|---------|---------|
| Item | | SFN-514 | SFN-524 |
| Rated current(A) | | 16 | 32 |
| Dimension | a | 121 | 131 |
| | b | 76 | 83 |
| Cable section (mm ²) | | 1-2.5 | 2.5-6 |




Voltage(V): 220-380V~ 3P+N+E
240-415V~
Protection degree:IP44



| Earth contact position | | 6h | |
|----------------------------------|---|---------|---------|
| Item | | SFN-515 | SFN-525 |
| Rated current(A) | | 16 | 32 |
| Dimension | a | 123 | 132 |
| | b | 79 | 86 |
| Cable section (mm ²) | | 1-2.5 | 2.5-6 |




Voltage(V): 220-240V~2P+E
Protection degree:IP67



| Earth contact position | | 6h | |
|------------------------|----------------------------------|----------|----------|
| Item | | SFN-5332 | SFN-5432 |
| Rated current(A) | | 63 | 125 |
| Dimension | a | 193 | 220 |
| | b | 122 | 140 |
| | c | 153 | 185 |
| | d | 109 | 130 |
| | e | 19 | 17 |
| | f | 6 | 8 |
| | g | 288 | 330 |
| | h | 127 | 140 |
| | PG | 29 | 36 |
| | Cable section (mm ²) | | 6-16 |




Voltage(V): 380-415V~3P+E
Protection degree: IP67



| Earth contact position | | 6h | |
|----------------------------------|----|----------|----------|
| Item | | SFN-5342 | SFN-5442 |
| Rated current(A) | | 63 | 125 |
| Dimension | a | 193 | 220 |
| | b | 122 | 140 |
| | c | 153 | 185 |
| | d | 109 | 130 |
| | e | 19 | 17 |
| | f | 6 | 8 |
| | g | 288 | 330 |
| | h | 127 | 140 |
| | PG | 29 | 36 |
| Cable section (mm ²) | | 6-16 | 16-50 |




Voltage(V): 220-380V~ 3P+N+E
240-415V~ 3P+N+E
Protection degree: IP67



| Earth contact position | | 6h | |
|----------------------------------|----|----------|----------|
| Item | | SFN-5352 | SFN-5452 |
| Rated current(A) | | 63 | 125 |
| Dimension | a | 193 | 220 |
| | b | 122 | 140 |
| | c | 153 | 185 |
| | d | 109 | 130 |
| | e | 19 | 17 |
| | f | 6 | 8 |
| | g | 288 | 330 |
| | h | 127 | 140 |
| | PG | 29 | 36 |
| Cable section (mm ²) | | 6-16 | 16-50 |




Voltage(V): 110-130V~2P+E
Protection degree: IP44



| Earth contact position | | 4h | |
|----------------------------------|---|-----------|-----------|
| Item | | SFN-613-4 | SFN-623-4 |
| Rated current(A) | | 16 | 32 |
| Dimension | a | 75 | 75 |
| | b | 75 | 75 |
| | c | 56 | 56 |
| | d | 56 | 56 |
| | e | 25 | 30 |
| | f | 41 | 50 |
| | g | 5 | 5 |
| | h | 43 | 55 |
| Cable section (mm ²) | | 1-2.5 | 2.5-6 |




Voltage(V): 220-240V~2P+E
Protection degree: IP44



| Earth contact position | | 6h | |
|----------------------------------|---|---------|---------|
| Item | | SFN-613 | SFN-623 |
| Rated current(A) | | 16 | 32 |
| Dimension | a | 75 | 75 |
| | b | 75 | 75 |
| | c | 56 | 56 |
| | d | 56 | 56 |
| | e | 25 | 30 |
| | f | 41 | 50 |
| | g | 5 | 5 |
| | h | 43 | 55 |
| Cable section (mm ²) | | 1-2.5 | 2.5-6 |




Voltage(V): 380-415V~3P+E
Protection degree: IP44



| Earth contact position | | 6h | |
|----------------------------------|---|---------|---------|
| Item | | SFN-614 | SFN-624 |
| Rated current(A) | | 16 | 32 |
| Dimension | a | 75 | 75 |
| | b | 75 | 75 |
| | c | 56 | 56 |
| | d | 56 | 56 |
| | e | 25 | 30 |
| | f | 41 | 50 |
| | g | 5 | 5 |
| | h | 43 | 55 |
| Cable section (mm ²) | | 1-2.5 | 2.5-6 |




Voltage(V): 220-380V~ 3P+N+E
240-415V~ 3P+N+E
Protection degree: IP44



| Earth contact position | | 6h | |
|----------------------------------|---|---------|---------|
| Item | | SFN-615 | SFN-625 |
| Rated current(A) | | 16 | 32 |
| Dimension | a | 75 | 75 |
| | b | 75 | 75 |
| | c | 56 | 56 |
| | d | 56 | 56 |
| | e | 26 | 30 |
| | f | 42 | 50 |
| | g | 5 | 5 |
| | h | 55 | 55 |
| Cable section (mm ²) | | 1-2.5 | 2.5-6 |




Voltage(V): 220-240V~2P+E
Protection degree: IP67



| Earth contact position | | 6h | |
|----------------------------------|----------|----------|-------|
| Item | SFN-6332 | SFN-6432 | |
| Rated current(A) | 63 | 125 | |
| Dimension | a | 100 | 120 |
| | b | 81 | 100 |
| | c | 20 | 22 |
| | d | 108 | 102 |
| | e | 109 | 124 |
| | f | 75 | 100 |
| | g | 6.5 | 6.5 |
| Cable section (mm ²) | | 6-16 | 16-50 |




Voltage(V): 380-415V~3P+E
Protection degree: IP67



| Earth contact position | | 6h | |
|----------------------------------|----------|----------|-------|
| Item | SFN-6342 | SFN-6442 | |
| Rated current(A) | 63 | 125 | |
| Dimension | a | 100 | 120 |
| | b | 81 | 100 |
| | c | 20 | 22 |
| | d | 108 | 102 |
| | e | 109 | 124 |
| | f | 75 | 100 |
| | g | 6.5 | 6.5 |
| Cable section (mm ²) | | 6-16 | 16-50 |



Voltage(V): 220-380V~ 3P+N+E
240-415V~
Protection degree: IP67



| Earth contact position | | 4h | |
|----------------------------------|----------|----------|-------|
| Item | SFN-6352 | SFN-6452 | |
| Rated current(A) | 63 | 125 | |
| Dimension | a | 100 | 120 |
| | b | 81 | 100 |
| | c | 20 | 22 |
| | d | 108 | 102 |
| | e | 109 | 124 |
| | f | 75 | 100 |
| | g | 6.5 | 6.5 |
| Cable section (mm ²) | | 6-16 | 16-50 |